

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	0	"6979428".pn.	USPAT	OR	OFF	2005/12/16 15:48
S3	1	"6558620".pn.	USPAT	OR	OFF	2005/12/16 16:15
S4	1011	422/62.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/16 16:20
S7	162	S6 AND (disinfect\$3 steriliz\$5 sanit\$5 decontaminat\$3 deactivat\$3 inactivat\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/16 16:33
S6	1011	422/62.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/16 16:33
S5	103	S4 AND (monitor\$3 control\$4) SAME (fluid\$1 WITH (\$2circulat\$3 \$2process\$3))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/16 16:34
S9	22	S8 AND pressure	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/16 16:40
S8	26	S7 AND (monitor\$3 control\$4) SAME (fluid\$1 WITH (\$2circulat\$3 \$2process\$3))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/16 16:40
S12	19	S11 AND (fluid WITH pressure)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/16 16:54
S11	22	("4710350"   "4737384"   "4952370"   "5013366"   "5106513"   "5213619"   "5232604"   "5236602"   "5267455"   "5288467"   "5344493"   "5355901"   "5370740"   "5401322"   "5456759"   "5505219"   "5526834"   "5552115"   "5759486"   "5772783"   "5783082").PN. OR ("6558622").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/16 16:54
S13	17	S8 AND (pressure WITH (monitor\$3 measure\$4 sens\$3 transduc\$3))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/16 17:00
S10	12	S8 AND (pressure WITH (monitor\$3 sens\$3 transduc\$3))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/16 17:00
S1	1	"20050025671 A1"	US-PGPUB	OR	OFF	2005/12/19 07:32
S14	2203	422/3,62,292.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 07:33
S17	137	S16 AND controll\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 07:57
S18	128	S17 AND connect\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 07:58
S20	154	S15 AND (reprocess\$3 recirculat\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 08:08
S21	39	S20 AND ((measur\$3 monitor\$3 sens\$3) SAME (pressure WITH (vapor fluid gas liquid)))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 08:18
S22	5	S21 AND (controller WITH connection)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 08:19
S19	87	S17 AND connection	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 09:48

S24	21	("4731222"   "4765963"   "5190666"   "5209909"   "5217698"   "5225160"   "5279799"   "5439654").PN. OR ("5858305").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 09:54
S26	3205	S25 AND (disinfect\$3 steriliz\$5 saniti\$5 decontaminat\$3 deactivat\$3 inactivat\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 10:16
S25	4855	422/1,26-28,31,112,300,302.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 10:16
S23	94	S17 AND connection\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 10:16
S27	299	S26 AND ((measur\$3 monitor\$3 sens\$3) SAME (pressure WITH (vapor fluid gas liquid)))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 10:23
S30	65	S29 AND (control\$4 SAME connection\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 10:24
S29	186	S26 AND ((measur\$3 monitor\$3 sens\$3) WITH (pressure WITH (vapor fluid gas liquid)))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 10:24
S28	175	S27 AND control\$4 AND connection\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 10:24
S31	51429	(disinfect\$3 steriliz\$5 saniti\$5 decontaminat\$3 deactivat\$3 inactivat\$3) WITH (instrument\$1 tool\$1 medical surgical device\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 10:32
S34	425	S33 AND (controller controlling)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 10:33
S33	603	S32 AND ((measur\$3 monitor\$3 sens\$3) SAME (pressure WITH (vapor fluid gas liquid)))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 10:33
S35	23	S16 AND (pressure WITH connection)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 10:34
S32	2096	S31 AND (pressure WITH connection)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 10:34
S36	45	("4650222"   "4860638"   "5139287").PN. OR ("5279799").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 10:36
S37	14	("4064886"   "4763678"   "5225160"   "5558841").PN. OR ("5738824").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 10:55
S38	2	S37 AND (pressure WITH connection)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 11:03
S39	503	700/266,301.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 11:04
S43	0	S41 AND (pressure\$1 WITH connection\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 11:51
S44	181	73/1.57,1.59.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 12:58
S42	6	S41 AND ((measur\$3 monitor\$3 sens\$3) SAME (pressure WITH (vapor fluid gas liquid)))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 12:59

S40	57	S39 AND (disinfect\$3 steriliz\$5 saniti\$5 decontaminat\$3 deactivat\$3 inactivat\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 13:00
S45	134	S44 AND ((measur\$3 monitor\$3 sens\$3) WITH (pressure))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 13:08
S48	464	700/213.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 13:19
S47	36	("1316612"   "3087210"   "3407029"   "3537825"   "3579290"   "3751225"   "3801278"   "3982893"   "4067691"   "4127384"   "4164538"   "4195061"   "4261950"   "4296067"   "4798292"   "4865814"   "4923681"   "4938933"   "4988485"   "5091343"   "5184633"   "5277875"   "5405587"   "5535141"   "5559691").PN. OR ("5761069").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 13:19
S50	15	S49 AND pressure	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 13:20
S46	9	S44 AND (disinfect\$3 steriliz\$5 saniti\$5 decontaminat\$3 deactivat\$3 inactivat\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 13:20
S41	36	("1316612"   "3087210"   "3407029"   "3537825"   "3579290"   "3751225"   "3801278"   "3982893"   "4067691"   "4127384"   "4164538"   "4195061"   "4261950"   "4296067"   "4798292"   "4865814"   "4923681"   "4938933"   "4988485"   "5091343"   "5184633"   "5277875"   "5405587"   "5535141"   "5559691").PN. OR ("5761069").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 13:23
S52	918	340/626.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 13:31
S51	26	S41 AND pressure	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 13:31
S49	34	S48 AND (disinfect\$3 steriliz\$5 saniti\$5 decontaminat\$3 deactivat\$3 inactivat\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 13:32
S54	67	S53 AND (pressure WITH connect\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 13:33
S15	921	S14 AND (disinfect\$3 steriliz\$5 saniti\$5 decontaminat\$3 deactivat\$3 inactivat\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 13:39
S56	9	S55 AND (pressure WITH (\$2proper ADJ connection))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 13:42
S58	53075	S57 AND (connect\$3 WITH pressure)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 13:45
S57	97017	((measur\$3 monitor\$3 sens\$3) WITH (pressure WITH (vapor fluid gas liquid)))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 13:45
S61	832	S60 AND (determin\$3 WITH connect\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 13:48
S60	5491	S59 AND (connect\$3 WITH pressure)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 13:48
S55	402557	(disinfect\$3 steriliz\$5 saniti\$5 decontaminat\$3 deactivat\$3 inactivat\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 13:51

S59	10687	S55 AND ((measur\$3 monitor\$3 sens\$3) WITH (pressure WITH (vapor fluid gas liquid)))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 13:53
S65	674	S64 AND control\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 13:55
S63	7015	S62 AND ((measur\$3 monitor\$3 sens\$3) WITH (pressure))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 13:58
S62	32843	S55 AND ((tubing tubes tube) WITH connect\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 13:58
S64	697	S63 AND (determine\$1 WITH connect\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 13:59
S69	627	S25 AND ((tubing tubes tube) WITH connect\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 14:12
S67	108	S66 AND ((measur\$3 monitor\$3 sens\$3) WITH (pressure))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 14:12
S66	365	S14 AND ((tubing tubes tube) WITH connect\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 14:12
S71	19	S70 AND (determine\$1 WITH connect\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 14:16
S68	17	S67 AND (determine\$1 WITH connect\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 14:16
S72	25	S70 AND (determin\$5 WITH connect\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 14:21
S16	148	S15 AND ((measur\$3 monitor\$3 sens\$3) SAME (pressure WITH (vapor fluid gas liquid)))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 14:53
S74	133825	(vapor fluid gas liquid) WITH (reprocess\$3 \$2circulat\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 14:56
S75	1411	S74 AND ((determin\$5 WITH connect\$3) SAME pressure)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 14:59
S76	1314	S75 AND (control\$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 15:00
S77	900	S76 AND ((measur\$3 monitor\$3 sens\$3) WITH (pressure))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 15:03
S70	191	S69 AND ((measur\$3 monitor\$3 sens\$3) WITH (pressure))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 15:03
S53	84	S52 AND (disinfect\$3 steriliz\$5 saniti\$5 decontaminat\$3 deactivat\$3 inactivat\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 15:04
S78	144	S77 AND (disinfect\$3 steriliz\$5 saniti\$5 decontaminat\$3 deactivat\$3 inactivat\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 15:19
S82	468	73/40.5 A.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 16:02

S81	296	73/40.5A.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 16:02
S83	0	73/40.5.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 16:03
S79	468	73/40.5 R.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 16:04
S80	1506	73/40.5R.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 16:05
S84	394	S80 AND (fluid WITH connect\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 16:06
S85	266	S84 AND control\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 16:08
S87	576	73/46.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 16:54
S86	17	S85 AND display AND input	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 16:54
S73	23	S67 AND (determin\$5 WITH connect\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 16:54
S88	63	S87 AND (determin\$5 WITH connect\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 17:03
S89	160	S87 AND (determin\$5 WITH leak\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 17:07
S90	105	700/301.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 17:23
S92	1019	700/83.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 17:26
S93	4	S92 AND (fluid WITH (\$2circulat\$3 reprocess\$3))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 17:27
S91	9	S90 AND (leak\$3 WITH detect\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 17:28
S95	402	700/266.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 17:31
S94	17	S92 AND (leak\$3 WITH detect\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 17:31
S96	7	S95 AND (leak\$3 WITH detect\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 17:32
S97	1	"5272646".pn.	USPAT	OR	OFF	2005/12/20 08:00
S10 1	40	S99 AND (pressure WITH (connection\$1 fitting\$1 link\$1 linkage\$1))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/20 08:15
S10 0	34	S99 AND (pressure WITH connection\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/20 08:15

S10 2	6	S101 NOT S100	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/20 08:27
S10 3	44	S99 AND seal\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/20 08:29
S10 4	1	S99 AND (seal\$1 WITH connection\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/20 08:30
S10 5	7	S99 AND (seal\$1 WITH detect\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/20 08:35
S10 7	1	"5361636".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/20 08:36
S10 6	2	S99 AND (seal\$2 WITH connection\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/20 08:36
S10 8	50	S99 AND (pressure WITH transducer) AND control\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/20 08:46
S99	196	702/51.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/20 08:46
S10 9	27	S108 AND (pressure WITH input)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/20 09:01
S11 1	939	S110 AND (pressure WITH transducer)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/20 09:03
S11 0	30802	((seal\$3 WITH leak\$3) WITH pressure)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/20 09:03
S11 2	201	S110 SAME (pressure WITH transducer)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/20 09:04
S11 4	165	(leak WITH detect\$3) WITH connections	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/20 09:14
S11 3	158	S112 AND (control\$4 monitor\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/20 09:14
S11 8	0	S116 AND instruction\$1	US-PGPUB	OR	OFF	2005/12/20 11:36
S11 6	3	("5279799" "20040091389 A1" "5761069" "5738824").pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/20 11:36
S11 9	1	S117 AND instruction\$1	US-PGPUB	OR	OFF	2005/12/20 11:50
S12 2	1	S121 AND alarm	USPAT	OR	OFF	2005/12/20 13:20
S12 1	3	("5279799" "20040091389 A1" "5761069" "5738824").pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/20 13:20
S12 0	1	"6068815".pn.	USPAT	OR	OFF	2005/12/20 13:20
S12 3	1	"20040091389 A1"	US-PGPUB	OR	OFF	2005/12/20 13:21
S11 7	1	"20040091389 A1"	US-PGPUB	OR	OFF	2005/12/20 13:21

S12 4	0	S123 and alarm	US-PGPUB	OR	OFF	2005/12/20 13:22
S12 6	1	S125 AND (alarm WITH error)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/20 13:23
S12 5	98	340/384.4.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/20 13:23

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	88	reprocessor\$1	USPAT	OR	OFF	2005/12/20 16:47
L2	20852	disinfect\$	USPAT	OR	OFF	2005/12/20 16:47
L3	11	1 same 2	USPAT	OR	OFF	2005/12/20 16:47
L4	10763	reprocess\$	USPAT	OR	OFF	2005/12/20 16:47
L5	62	4 same 2	USPAT	OR	OFF	2005/12/20 16:47
L6	214	4 and 2	USPAT	OR	OFF	2005/12/20 16:47
L7	2371099	connect\$	USPAT	OR	OFF	2005/12/20 16:47
L8	333347	improper or poor	USPAT	OR	OFF	2005/12/20 16:48
L9	24256	7 same 8	USPAT	OR	OFF	2005/12/20 16:48
L10	30	9 and 6	USPAT	OR	OFF	2005/12/20 16:48
L11	1	"4281674".PN.	USPAT; USOCR	OR	OFF	2005/12/20 16:59
L12	1	"4299244".PN.	USPAT; USOCR	OR	OFF	2005/12/20 16:59
L13	1	"4552728".PN.	USPAT; USOCR	OR	OFF	2005/12/20 16:59
L14	1	"4552728".PN.	USPAT; USOCR	OR	OFF	2005/12/20 17:01
L15	1	"4637378".PN.	USPAT; USOCR	OR	OFF	2005/12/20 17:01
L16	1	"5279799".PN.	USPAT; USOCR	OR	OFF	2005/12/20 17:02
L17	1	"5505218".PN.	USPAT; USOCR	OR	OFF	2005/12/20 17:04
L18	1	"5525314".PN.	USPAT; USOCR	OR	OFF	2005/12/20 17:05
L19	1	"5552115".PN.	USPAT; USOCR	OR	OFF	2005/12/20 17:05
L20	1	"5843388".PN.	USPAT; USOCR	OR	OFF	2005/12/20 17:05
L21	1	"6041794".PN.	USPAT; USOCR	OR	OFF	2005/12/20 17:05
L22	1	"6068815".PN.	USPAT; USOCR	OR	OFF	2005/12/20 17:08
L23	1	"5833935".PN.	USPAT; USOCR	OR	OFF	2005/12/20 17:11
L24	1	"5759490".PN.	USPAT; USOCR	OR	OFF	2005/12/20 17:11